

KABLO

**H07V-U (NYA) 450 / 750 V**

Kesit mm ²	0.828	kg/mt
1	0,770	0,014
1,5	1,050	0,020
2,5	1,700	0,031
4	2,700	0,046
6	4,000	0,054

H07V-R (NYA) 450/750V

Kesit mm ²	0.828	kg/mt
10ç	7,230	0,111
16ç	11,320	0,170
25ş	17,970	0,260
35ş	24,750	0,355
50ş	34,400	0,505
70ş	49,400	0,694
95ş	68,500	0,938
120ş	88,000	1,172
150ş	108,000	1,465
185ş	136,000	1,808
240ş	182,000	2,400
300ş	225,000	

H07V-K (NYAF) 450V/750V

Kesit mm ²	0.828	kg/mt
0,75	0,620	0,011
1	0,790	0,014
1,5	1,060	0,020
2,5	1,730	0,032
4	2,760	0,048
6	4,130	0,068
10	7,620	0,116
16	11,820	0,174
25	18,230	0,270
35	25,860	0,368
50	37,100	0,524
70	51,950	0,717
95	69,700	0,971
120	91,000	1,212
150	114,100	1,514
185	139,700	1,869
240	191,400	2,443

NVV (NYM) 300/500V

Kesit mm ²	0.828	kg/mt
2*1,5	3,100	0,112
2*2,5	4,570	0,153
2*4	7,200	0,200
2*6	10,020	0,256
2*10	18,100	0,418
2*16	27,500	
2*25	43,000	
2*35	59,000	
3*1,5	4,200	0,131
3*2,5	6,400	0,182
3*4	9,850	0,243
3*6	14,450	0,329
3*10	25,600	0,519
3*16	39,500	
3*25	62,300	
3*35	86,000	
4*1,5	5,410	0,157
4*2,5	8,230	0,223
4*4	12,630	0,311
4*6	18,350	0,423
4*10	33,190	0,649
4*16	51,500	0,942
4*25	82,500	
4*35	113,000	
5*1,5	6,890	0,190
5*2,5	10,360	0,270
5*4	16,650	0,400
5*6	23,970	
5*10	42,000	0,800
5*16	67,500	
5*25	103,000	
5*35	141,000	

H05VV-F (NYMHY) TTR 300/500V

Kesit mm ²	0.828	kg/mt
2*0,75	1,730	0,051
2*1	2,170	0,063
2*1,5	2,980	0,085
2*2,5	4,540	0,129
2*4	7,240	
3*0,75	2,370	0,064
3*1	2,930	0,078
3*1,5	4,050	0,110
3*2,5	6,380	0,162
4*0,75	3,010	0,074
4*1	3,830	0,096
4*1,5	5,250	0,135
4*2,5	8,220	0,201
4*4	12,600	0,286
4*6	18,520	0,490
5*1,5	6,970	0,170
5*2,5	11,040	0,260
5*4	17,550	0,370
5*6	24,750	

YVV (NYY) 0,6/1 kV

Kesit mm ²	0.828	kg/mt
1*10	8,120	0,176
1*16	12,400	0,243
1*25ş	19,200	0,340
1*35ş	26,000	0,444
1*50ş	34,000	0,594
1*70ş	48,500	0,795
1*95ş	68,000	1,057
1*120ş	85,600	1,300
1*150ş	104,000	1,620
1*185ş	130,000	1,990
1*240ş	170,000	2,554
2*1,5	3,370	0,177
2*2,5	4,830	0,215
2*4	7,850	0,293
2*6	10,660	0,357
2*10	17,280	0,504
3*1,5	4,600	0,200
3*2,5	6,630	0,247
3*4	10,770	0,343
3*6	15,160	0,425
3*16/10	44,000	0,975
3*25s/16	69,100	1,424
3*35s/16	89,200	1,761
3*50/25s	122,500	2,457
3*70/35s	173,000	3,324
3*95/50s	240,000	4,460
3*120/70s	312,000	5,610
3*150/70s	368,000	6,732
3*185/95s	467,700	8,321
3*240/120s	613,000	10,625
4*1,5	5,730	0,233
4*2,5	8,540	0,292
4*4	13,830	0,411
4*6	19,410	0,517
4*10	31,800	0,751
4*16	49,000	1,052
5*1,5	7,680	0,271
5*2,5	11,290	0,345
5*4	17,250	
5*6	24,220	

YVZ2V (NYRY) 0,6/1 KV

Kesit mm ²	0.828	kg/mt
3*1,5	9,300	0,382
3*2,5	12,000	0,444
3*4	18,500	0,578
3*6	23,000	0,681
4*1,5	11,000	0,430
4*2,5	14,500	0,510
4*4	22,000	0,667
4*6	28,500	0,797
4*10	41,500	1,085
4*16	63,500	

YVZ3V-R (NYFGBY) 0,6/1 KV

Kesit mm ²	0.828	kg/mt
3*25s/16	82,000	1,945
3*35s/16	104,500	2,325
3*50/25s	142,500	3,128
3*70/35s	198,000	4,115
3*95/50s	275,000	5,373
3*120/70s	339,000	6,618
3*150/70s	405,000	7,831
3*185/95s	515,000	9,544
3*240/120s	682,000	12,002
4*10	39,900	1,497
4*16	58,100	

YE3SV (2XSY) XLPE 20,3/35 kV

Kesit mm ²	0.828	kg/mt
1x35/16	55,100	1,328
1x50/16	63,350	1,532
1x70/16	80,000	1,790
1x95/16	97,700	2,106
1x120/16	117,300	2,393
1x150/25	145,400	2,832
1x185/25	170,000	3,219
1x240/25	210,500	3,835

YE3ŞŞV (2XSEYFGY) XLPE 20,3/35 kV

Kesit mm ²	0.828	kg/mt
3x35/16	220,000	8,692
3x50/16	255,000	9,694
3x70/16	315,000	11,261
3x95/16	390,000	12,674
3x120/16	455,000	14,040
3x150/25	530,000	15,582
3x185/25	650,000	17,309
3x240/25	815,000	20,060

YE3SV (2XSY) XLPE 8,7/15 kV

Kesit mm ²	0.828	kg/mt
1x35/16	52,000	0,887
1x50/16	61,000	1,055
1x70/16	77,500	1,285
1x95/16	97,000	1,552
1x120/16	116,500	1,832
1x150/25	144,000	2,225
1x185/25	169,000	2,598
1x240/25	209,000	3,172

YE3ŞŞV (2XSEYFGY) XLPE 8,7/15 kV

Kesit mm ²	0.828	kg/mt
3x35/16	168,000	5,225
3x50/16	205,000	6,008
3x70/16	265,000	7,188
3x95/16	335,000	8,440
3x120/16	400,000	9,633
3x150/25	475,000	10,998
3x185/25	570,000	12,535
3x240/25	725,000	15,120

**H05Z1-U (NYA) 300/500**

Kesit mm ²		kg/mt
1	0,860	0,016

H07Z1-U (NYA) 450/750V

Kesit mm ²		kg/mt
1,5	1,154	0,021
2,5	1,845	0,034
4	2,940	0,050
6	4,330	0,071

H07Z1-R (NYA) 450/750V

Kesit mm ²		kg/mt
10ç	7,610	0,116
16ç	11,770	0,181
25ş	19,620	0,28
35ş	26,000	0,342
50ş	36,300	0,542
70ş	52,000	0,745
95ş	71,500	
120ş	92,300	
150ş	115,000	
185ş	144,000	
240ş	195,000	

H05Z1-K (NYAF) 300/500V

Kesit mm ²		kg/mt
0,75	0,668	0,016
1	0,840	0,018

H07Z1-K (NYAF) 450/750V

Kesit mm ²		kg/mt
1,5	1,180	0,019
2,5	1,900	0,030
4	3,000	0,044
6	4,380	0,063
10	7,950	0,112
16	12,600	
25	20,000	
35	27,100	
50	39,200	
70	54,300	
95	73,200	
120	94,500	
150	119,000	
185	147,500	
240	202,000	

(N)2XH 0,6/1 Kv (NYY)

Kesit mm ²		kg/mt
7*1,5re	12,830	0,225
7*2,5re	18,050	0,302
10*1,5re	18,100	0,318
10*2,5re	26,000	0,432
14*1,5re	25,000	0,395
14*2,5re	36,200	0,541
19*1,5re	30,500	0,495
19*2,5re	46,300	0,688
24*1,5re	39,500	0,627
24*2,5re	60,000	0,872
30*1,5re	54,200	0,721
30*2,5re	80,000	1,020
40*1,5re	71,000	0,907
40*2,5re	109,500	

**052XZ1-U NHXMH 300/500V
Afumex Çift Kat İzole (NYM)**

Kesit mm ²		kg/mt
2*1,5	3,640	0,095
2*2,5	5,200	0,125
2*4	7,980	0,171
2*6	11,200	0,224
2*10	19,300	0,351
3*1,5	4,850	0,112
3*2,5	7,050	0,150
3*4	11,100	0,207
3*6	15,950	0,286
3*10	27,100	0,448
3*16mm	41,600	
4*1,5	6,070	0,139
4*2,5	9,000	0,186
4*4	14,450	0,277
4*6	20,800	0,367
4*10	35,600	0,559
4*16mm	53,400	0,868
5*1,5	7,620	0,160
5*2,5	11,540	0,216
5*4	18,500	0,325
5*6	26,600	0,435
5*10	44,500	
5*16mm	68,430	

(N)2XH 0,6/1 Kv (NYY)

Kesit mm ²		kg/mt
1*4	4,270	0,066
1*6	5,740	0,086
1*10	8,690	0,128
1*16	13,330	0,183
1*25	20,250	0,287
1*35	27,180	0,376
1*50	35,900	0,495
1*70	52,050	0,693
1*95	71,300	0,944
1*120	89,220	1,176
1*150	110,000	1,442
1*185	139,000	1,786
1*240	180,500	2,337
2*1,5	4,220	0,117
2*2,5	5,870	0,146
2*4	8,710	0,187
2*6	11,850	0,243
2*10	19,310	0,348
3*1,5	5,480	0,128
3*2,5	7,810	0,167
3*4	11,850	0,224
3*6	16,380	0,293
3*10	27,060	0,437
3*16	41,200	0,741
3*16/10	47,100	0,741
3*25/16	74,600	1,202
3*35/16	95,500	1,508
3*50/25	131,600	2,063
3*70/35	184,700	2,844
3*95/50	256,000	3,827
3*120/70	329,000	4,882
3*150/70	395,000	5,825
3*185/95	497,300	7,286
3*240/120	643,500	9,475
4*1,5	6,740	0,149
4*2,5	9,700	0,198
4*4	14,710	0,268
4*6	20,800	0,357
4*10	33,920	0,543
4*16	52,340	0,788
4*25	84,800	
5*1,5	8,530	
5*2,5	12,500	
5*4	18,650	
5*6	26,210	
5*10	43,620	
5*16	69,210	

(N)2XH FE 180 DK. 0,6/1Kv (NYY)

Kesit mm ²		kg/mt
1*10	10,280	0,133
1*16	15,080	0,190
1*25	22,440	0,293
1*35	30,430	0,383
1*50	39,500	0,502
1*70	56,300	0,700
1*95	76,050	0,951
1*120	95,100	1,184
1*150	117,000	1,451
1*185	146,300	1,795
1*240	185,800	2,345
2*1,5	5,650	0,131
2*2,5	7,650	0,164
2*4	10,340	0,208
2*6	14,180	0,264
2*10	22,160	0,374
3*1,5	7,350	0,145
3*2,5	10,070	0,186
3*4	14,070	0,245
3*6	19,990	0,318
3*10	33,050	0,463
3*16	48,700	0,778
3*16/10	56,300	0,778
3*25/16	84,800	1,245
3*35/16	108,200	1,552
3*50/25	146,200	2,113
3*70/35	204,800	2,900
3*95/50	277,800	3,886
3*120/70	351,000	4,946
3*150/70	424,000	5,900
3*185/95	534,000	7,362
3*240/120	687,500	9,561
4*1,5	9,390	0,169
4*2,5	12,880	0,218
4*4	18,100	0,294
4*6	24,250	0,384
4*10	40,400	0,576
4*16	60,700	0,825
4*25	92,600	
5*4	24,200	
5*6	32,450	
5*10	51,400	

(N)2XH FE 180 DK. 0,6/1Kv (NYY)

Kesit mm ²		kg/mt
5*1,5	13,550	0,195
5*2,5	17,480	0,255
7*1,5	18,000	0,254
7*2,5	23,850	0,335
10*1,5	26,500	0,346
10*2,5	34,800	0,418
14*1,5	36,000	0,446
14*2,5	51,000	0,600
19*1,5	47,000	0,559
19*2,5	68,500	0,762
24*1,5	62,000	0,709
24*2,5	90,000	0,966
30*1,5	76,500	0,832
30*2,5	111,000	1,144
40*1,5	107,000	1,050
40*2,5	157,000	

052XZ1-F 300/500V (TTR)

Kesit mm ²		Kesit mm ²	
2*0,75	2,420	4*1	4,720
2*1	2,890	4*1,5	6,120
2*1,5	3,690	4*2,5	9,120
2*2,5	5,310	4*4	14,800
2*4	8,300	4*6	21,350
2*6	11,500	5*1	6,100
3*0,75	3,120	5*1,5	8,050
3*1	3,700	5*2,5	12,130
3*1,5	4,970	5*4	18,820
3*2,5	7,160	5*6	27,700
3*4	11,320	5*10	46,200
3*6	16,100	5*16	70,000
4*0,75	3,800		



ALÜMİNYUM NYT

YAVV (NAYY) 0,61 Kv

Kesit mm ²		kg/mt
1*16	2,480	0,13
1*25	3,380	0,18
1*35	4,350	0,22
1*50	5,500	0,29
1*70	7,410	0,37
1*95	9,860	0,48
1*120	11,920	0,59
1*150	14,470	0,72
1*185	18,070	0,87
1*240	23,040	1,10
1*300	28,600	1,35
1*400	36,560	1,69
1*500	47,650	
2*10	4,710	
2*16	6,050	
2*25	8,800	
2*35	11,180	
2*50	14,840	
3*10	5,590	
3*16	7,750	
3*25	11,260	
3*35	14,200	
3*50	18,250	
3*70	24,960	
3*95	33,620	
3*120	41,700	
3*150	51,880	
3*185	63,700	
3*240	82,560	
3*300	103,400	
3*16/10	8,650	0,58
3*25/16	12,900	0,77
3*35/16	15,610	0,94
3*50/25	20,780	1,33
3*70/35	28,000	1,61
3*95/50	37,780	2,17
3*120/70	47,700	2,65
3*150/70	56,200	3,25
3*185/95	70,350	4,00
3*240/120	90,000	4,96
3*300/150	111,300	5,83
4*10	7,000	0,48
4*16	9,300	0,61
4*25	14,300	0,85
4*35	18,270	1,04
4*50	24,230	1,39
4*70	32,460	1,44
4*95	43,200	2,45
4*120	53,560	3,01
4*150	65,130	3,77
4*185	81,550	4,57
4*240	104,300	5,78
4*300	128,200	
4*400	164,700	
5*10	8,720	
5*16	12,020	
5*25	17,670	
5*35	22,810	
5*50	30,620	
5*70	41,940	
5*95	55,650	
5*120	69,000	
5*150	86,000	
5*185	105,500	
5*240	134,000	
5*300	172,000	

ALÜMİNYUM XLPE

YAXC7V-R (A2XSY) 20,3/35 kV

Kesit mm ²		kg/mt
1*35+16	34,400	1,10
1*50/16	35,940	1,18
1*70/16	39,100	1,32
1*95/16	41,130	1,45
1*120/16	44,130	1,60
1*150/25	53,620	1,82
1*185/25	58,930	2,02
1*240/25	64,820	2,30
1*300/25	73,650	2,57
1*400/35	90,500	3,06
1*500/35	104,500	3,55
1*630/35	121,050	4,07

YAXC8VZ3V-R (A2XSEYFGY) 20,3/35 Kv

Kesit mm ²		kg/mt
3*35/16	168,500	
3*50/16	180,000	
3*70/16	202,000	
3*95/16	213,500	
3*120/16	225,000	
3*150/70	258,000	
3*185/25	280,000	
3*240/25	315,000	
3*300/25	360,000	



alllight

PowerLine

